Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY:

LOCATION:

123954

American Energy Corp - Century Mine 43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716 Belmont

COUNTY: DISTRICT: SEDO STATUS:

Original

PERMIT NUMBER: STATION CODE:

0IL00091*GD002

MONITORING PERIOD: REPORTING LAB:

2010-08-01 To: 2010-08-31

TraDet William Thompson

ANALYST: NO DISCHARGE INDICATOR:

PARAMETER	Total Precipitation	Flow Rate	pН	Total Suspended Solids	Iron, Total (Fe)	Manganese, Total (Mn)	
PARAMETER CODE	00045	50050	00400	00530	01045	01055	
UNITS	Inches	MGD	S.U.	mg/l	ug/l	ug/l	
FREQUENCY	1/Day	1/Day	1 / 2 Weeks	1 / 2 Weeks	1/2 Weeks	I / 2 Weeks	
SAMPLING TYPE	Total	Total Estimate	Grab	Grab	Grab	Grab	
2010-08-01	0.04	0.024]	
2010-08-02	0	0.001	7.26	6	70	480	
2010-08-03	0	0.034					
2010-08-04	0.61	0.031					
2010-08-05	0	0.018					
2010-08-06	0	0.018					
2010-08-07	0	0.018					
2010-08-08	0	0.001					
2010-08-09	0	0.003					
2010-08-10	0.01	0.028					
2010-08-11	0	0.034					
2010-08-12	0	0.028				-	
2010-08-13	0	0.034		1			
2010-08-14	0	0.029					
2010-08-15	0	0.028					
2010-08-16	0	0.031	8.21	12	220	110	
2010-08-17	0	0.021				110	
2010-08-18	0	0.014					
2010-08-19	0	0.021					
2010-08-20	0	0.036					
2010-08-21	0	0.028					
2010-08-22	1.29	0.042					
2010-08-23	0	0.038					
2010-08-24	0	0.031					
2010-08-25	0	0.028					
2010-08-26	0	0.029			\ \		
2010-08-27	0	0.03					
2010-08-28	0	0.028					
2010-08-29	0	0.026					
2010-08-30	0	0.051					
2010-08-31	0	0.048					
Minimum	0.0	0.0010	7.26	6.0	70.0	110.0	
Maximum	1.29	0.051	8.21	12.0	220.0	480.0	
Average	0.0629	0.02681		9	145	295	
Count	31	31	2	2	2	2	
morace representative	I certify under the penalt with the information sub individuals immediately	mitted herein and based responsible for obtaining	I on my inquiry of thos	e lieve the	ature of Responsible (Represent	Official or Authorized	Submise Date/T
Cody Mozena	submitted information is significant penalties for s fine and imprisonment.	true, accurate and com-	niete Iam aware that t	here are	Colum. M.	Page 1	2010-0 14 07:0

SUBMISSION ID:

123954

FACILITY: LOCATION: American Energy Corp - Century Mine

43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716

COUNTY: DISTRICT:

Belmont SEDO

STATUS:

Original

PERMIT NUMBER: STATION CODE:

0IL00091*GD008

William Thompson

MONITORING PERIOD: REPORTING LAB:

2010-08-01 To: 2010-08-31 TraDet

ANALYST: NO DISCHARGE INDICATOR:

PARAMETER	Total Precipitation	Flow Rate	Conductivity	pН	Residue, Total Dissolved	Total Suspended Solids	Iron, Total (F
PARAMETER CODE	00045	50050	00094	00400	00515	00530	01045
UNITS FREQUENCY	Inches	MGD	Umho/Cm	S.U.	mg/l	mg/l	ug/l
SAMPLING TYPE	1/Day Total	1/Day Total Estimate	1 / 2 Weeks Grab	1 / 2 Weeks Grab	1 / 2 Weeks Grab	1/2 Weeks	1/2 Weeks
2010-08-01	0.04	0.088	Ciao	Grab	Grab	Grab	Grab
2010-08-02	0	0.088					
2010-08-03	0	0.085					
2010-08-04	0.61	0.056					
2010-08-05	0	0.058					
2010-08-06	0	0.059	10700	8.09	7660	21	160
2010-08-07	0	0.056					
2010-08-08	0	0.056					
2010-08-09	0	0.058					
2010-08-10	0.01	0.057					
2010-08-11	0	0.059					·
2010-08-12	0	0.059					
2010-08-13	0	0.052					
2010-08-14	0	0.061					
2010-08-15	0	0.062					
2010-08-16	0	0.062	10900	8.02	8420	AA 5.7	330
2010-08-17	0	0.062					
2010-08-18	0	0.054					
2010-08-19	0	0.053					
2010-08-20	0	0.053					
2010-08-21	0	0.051					
2010-08-22	1.29	0.083					
2010-08-23	0	0.068					
2010-08-24	0	0.057					<u> </u>
2010-08-25	0	0.056					-
2010-08-26	0	0.007					
2010-08-27	0	0.027					
2010-08-28	0	0.038					····
2010-08-29	0	0.044					
2010-08-30	0	0.086					
2010-08-31	0	0.086					
Minimum	0.0	0.0070	10700.0	8.02	7660.0	0.0	160.0
Maximum Average	0.0629	0.088	10900.0	8.09	8420.0	21.0	330.0
Count	31	0.05939 31	10800	2	8040	10.5	245
e of Responsible Official thorized Representative	I certify under the penalt with the information sub individuals immediately	y of law that I have per	sonally examined and a	m familiar Si	gnature of Responsible C Represent	2 Official or Authorized ative	Submiss Date/Ti
Cody Mozena	submitted information is significant penalties for s fine and imprisonment.	true, accurate and com-	niete. I am aware that th	ere are	Losly M. Ma	ว/วิสิ่ง	2010-00 14 07:0

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

SUBMISSION ID: FACILITY:

LOCATION:

COUNTY:

DISTRICT:

123954

American Energy Corp - Century Mine

43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716

Belmont

SEDO

STATUS:

Original

PERMIT NUMBER: STATION CODE:

MONITORING PERIOD: REPORTING LAB:

0[L00091*GD 008 2010-08-01 To: 2010-08-31

TraDet

William Thompson

ANALYST:	
NO DISCHARGE	INDICATOR:

PARAMETER	Manganese, Total (Mn)						
PARAMETER CODE	01055						
UNITS FREQUENCY	ug/l						
SAMPLING TYPE	1 / 2 Weeks Grab	-	 				
2010-08-01) Grav						
2010-08-02							
2010-08-03	ì						
2010-08-04	Ì						
2010-08-05	Ì						
2010-08-06	730						
2010-08-07							
2010-08-08							
2010-08-09							
2010-08-10							
2010-08-11							
2010-08-12							
2010-08-13							
2010-08-14							
2010-08-15							
2010-08-16	300						
2010-08-17	<u> </u>						
2010-08-18	<u> </u>						
2010-08-19							
2010-08-20	<u> </u>						
2010-08-21	ļ			<u> </u>			
2010-08-22	<u></u>						
2010-08-23				ļ			
2010-08-24							
2010-08-25							
2010-08-26							
2010-08-27							
2010-08-28	<u> </u>						
2010-08-29							
2010-08-30							
2010-08-31 Minimum	300.0	er - geometr erlegen på vag to, den en berøkken	The second secon	***			· · · · · · · · · · · · · · · · · · ·
Maximum	730.0	L		<u></u>		<u> </u>	
Average	515					}	
Count	2					╁	
me of Responsible Official Authorized Representative	certify under the pen	alty of law that I have po	ersonally examined and	am familiar	Signature of Responsible	Official or Authorized	Submission
Cody Mozena	with the information s individuals immediate submitted information	submitted herein and bass ly responsible for obtain its true, accurate and con or submitting false inform	ed on my inquiry of tho ing the information, I be make to I am aware that	se elieve the	Represe		2010-09- 14 07:09
	and miprisoninell				Cody M. W	Page 3	<u></u>

Ohio $\mathbb{E} \mathbb{P} \mathbb{A}\,$ - Daily Discharge Monitoring Report - Form 4500

LOCATION:

COUNTY: DISTRICT: 123954

FACILITY:

American Energy Corp - Century Mine

43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716 Belmont

SEDO

STATUS:

Original

0IL00091*GD

PERMIT NUMBER: STATION CODE:

MONITORING PERIOD: REPORTING LAB:

011 2010-08-01 To: 2010-08-31 TraDet

William Thompson

ANALYST:	
NO DISCHARGE INDICA	TOR:

PARAMETER	Total Precipitation	Flow Rate	pН	Iron, Tota	ai (re)	Manganese, Total (Mn)		
PARAMETER CODE	00045	50050	00400	0104	15	01055		
UNITS	Inches	MGD	S.U.	ug/l		ug/l		
FREQUENCY SAMPLING TYPE	1/Day Total	1/Day Total Estimate	1 / 2 Weeks	1/2 W		1/2 Weeks		
2010-08-01	0.04	0.055	Grab	Grat	<u> </u>	Grab		
2010-08-02	0.04	0.01	8.3	150		80	<u> </u>	
2010-08-03	0	AC	8.5	130		80		···
2010-08-04	0.61	AC						
2010-08-05	0	AC					<u> </u>	
2010-08-06	0	AC					<u> </u>	
2010-08-07	0	AC					<u> </u>	
2010-08-08	0	AC						
2010-08-09	0	0.011					<u> i</u>	
2010-08-10	0.01	0.062						
2010-08-11	0.01	0.063						
2010-08-12	0	0.062					<u> </u>	
2010-08-13	0	0.052		<u></u>				
2010-08-14	0	0.051		-				
2010-08-15	0	0.051						
2010-08-16	0	0.051	7.76	110	,	110		
2010-08-17	0	0.051						
2010-08-18	0	0.05						
2010-08-19	0	0.05						
2010-08-20	0	0.049	· · · · · · · · · · · · · · · · · · ·					<u></u>
2010-08-21	0	0.047						
2010-08-22	1.29	0.063						
2010-08-23	0	0.058						
2010-08-24	0	0.058						
2010-08-25	0	0.054						
2010-08-26	0	0.048						
2010-08-27	0	0.048						
2010-08-28	0	0.047						
2010-08-29	0	0.05						
2010-08-30	0	0.049						 -
2010-08-31	0	0.045						
Minimum	0.0	0.01	7.76	110.0		80.0		***
Maximum Average	1.29 0.0629	0.063	8.3	150.0		110.0		
Count	31	0.0494	2	130		95		
e of Responsible Official	certify under the penal	25	2	2	Sign	2 L	Official or Authorized	Submiss
thorized Representative	with the information sub individuals immediately submitted information is significant penalties for fine and imprisonment.	mitted herein and based responsible for obtaining true, accurate and com-	d on my inquiry of the ng the information, I t plete. I am aware that	se selieve the		Cody M. Moz	tative	2010-0 14 07:

SUBMISSION ID:

123954

FACILITY:

American Energy Corp - Century Mine

LOCATION: COUNTY: DISTRICT:

Belmont

43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716

SEDO

STATUS:

Original

PERMIT NUMBER: 01L00091*GD

STATION CODE: MONITORING PERIOD: REPORTING LAB:

012 2010-08-01 To: 2010-08-31

ANALYST: NO DISCHARGE INDICATOR: AL

PARAMETER	Total Precipitation	Flow Rate	Conductivity	р	Н	Residue, Total Dissolved	Total Suspended Solids	Iron, Total (Fe)
PARAMETER CODE	00045	50050	00094	004	100	00515	00530	01045
UNITS	Inches	MGD	Umho/Cm	S.U		mg/l	mg/l	ug/l
FREQUENCY SAMPLING TYPE	1/Day	1/Day	1/2 Weeks	1/21		1 / 2 Weeks	1/2 Weeks	1/2 Weeks
2010-08-01	Total	Total Estimate	Grab	Gr	ab	Grab	Grab	Grab
2010-08-02	Ì		1				<u> </u>	
2010-08-03				<u> </u>			<u> </u>	
2010-08-04				1				
2010-08-05	Ì							
2010-08-06							1	
2010-08-07								
2010-08-08								
2010-08-09								
2010-08-10								
2010-08-11								
2010-08-12								
2010-08-13								
2010-08-14								
2010-08-15								
2010-08-16								
2010-08-17								•
2010-08-18								
2010-08-19								
2010-08-20								
2010-08-21								
2010-08-22								
2010-08-23								
2010-08-24								
2010-08-25								
2010-08-26								
2010-08-27								
2010-08-28								
2010-08-29								
2010-08-30				<u> </u>				
2010-08-31		20 <u>-11-11-11-11-11-11-11-11-11-11-11-11-1</u>	1.50					
Minimum Maximum				<u></u>	[
Average				<u> </u>				
Count						 }		****
ame of Responsible Official	certify under the penal	ty of law that I have ne	ersonally examined and	am familiar	Sign	ature of Responsible	Official or Authorized	Submission
r Authorized Representative Cody Mozena	with the information sub individuals immediately submitted information is significant penalties for fine and imprisonment.	omitted herein and base responsible for obtaining true, accurate and con-	ed on my inquiry of the ing the information, I be unlete. Lam aware that	se elieve the		Represen	tative	Date/Time 2010-09- 14 07:09

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

123954

SEDO

FACILITY:

American Energy Corp - Century Mine

Manganese, Total

(Mn)

01055

ug/l

1/2 Weeks

Grab

Beallsville, OH 43716

COUNTY: DISTRICT:

PARAMETER

PARAMETER CODE

UNITS

FREQUENCY

SAMPLING TYPE

2010-08-01 2010-08-02 2010-08-03 2010-08-04 2010-08-05 2010-08-06 2010-08-07 2010-08-08 2010-08-09

LOCATION:

43521 Mayhugh Hill Rd Twp Hwy 88

MONITORING PERIOD: REPORTING LAB: ANALYST:

STATUS: Original

PERMIT NUMBER: 0IL00091*GD STATION CODE: 012

2010-08-01 To: 2010-08-31

w	NO DISCHARGE	INDICATOR: AL			_
			<u> </u>		
		ļ		l	
		<u> </u>			
]			

2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14 2010-08-15 2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-20 2010-08-21 2010-08-22 2010-08-23 2010-08-24 2010-08-25 2010-08-26 2010-08-27 2010-08-28 2010-08-29 2010-08-30 2010-08-31 Minimum Maximum Average Count Name of Responsible Official or Authorized Representative Signature of Responsible Official or Authorized Representative Date/Time

I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information. I believe the submitted information is true, accurate and complete. I am aware that there are Cody Mozena significant penalties for submitting false information, including the possibility of fine and imprisonment.

Chylle Mazoar

Page 6

2010-09-

14 07:09

SUBMISSION ID:

123954

FACILITY: LOCATION:

COUNTY:

DISTRICT:

American Energy Corp - Century Mine

43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716

Belmont

STATUS:

Original

PERMIT NUMBER: STATION CODE: MONITORING PERIOD: REPORTING LAB:

OILOOO91*GD013

2010-08-01 To: 2010-08-31

SEDO ANALYST:

PARAMETER	Total Precipitation	Flow Rate	Conductivity	pН	Residue, Total Dissolved	Total Suspended Solids	Iron, Total (Fe)
PARAMETER CODE	00045	50050	00094	00400	00515	00530	01045
UNITS	Inches	MGD	Umho/Cm	S.U.	mg/l	mg/l	ug/l
FREQUENCY SAMPLING TYPE	1/Day	1/Day	1 / 2 Weeks	1 / 2 Weeks	1 / 2 Weeks	1 / 2 Weeks	1/2 Weeks
2010-08-01	Total	Total Estimate	Grab	Grab	Grab	Grab	Grab
2010-08-02	l		<u> </u>		<u> </u>		
2010-08-03	[(
2010-08-04	[L			
2010-08-05						[[
	<u> </u>						
2010-08-06						(
						<u> </u>	
2010-08-08	<u> </u>						
2010-08-09							
2010-08-10							
2010-08-11							
2010-08-12		,					
2010-08-13							
2010-08-14							
2010-08-15							
2010-08-16				· · · · · · · · · · · · · · · · · · ·			
2010-08-17							
2010-08-18							
2010-08-19							
2010-08-20							
2010-08-21							
2010-08-22							
2010-08-23							
2010-08-24							
2010-08-25							
2010-08-26							
2010-08-27							
2010-08-28					ĺ		
2010-08-29							
2010-08-30					Î		
2010-08-31				·····	Ĭ		
Minimum	2000		The contract of the contract o	- 100 100 - 20 - 3			Marie San Communication Commun
Maximum							
Average					<u> </u>		
Count	r			γ			
me of Responsible Official Authorized Representative	I certify under the penal with the information sub	ty of law that I have pe	ersonally examined and a	m familiar S	ignature of Responsible (Represen	Official or Authorized	Submission Date/Time
Cody Mozena	individuals immediately submitted information is significant penalties for fine and imprisonment.	responsible for obtain true, accurate and cor	ing the information, I be	lieve the	Cody Mr Ma		2010-09- 14 07:09

Ohio $\mathbb{E} \mathbb{P} \mathbb{A}\,$ - Daily Discharge Monitoring Report - Form 4500

FACILITY:

LOCATION:

COUNTY:

123954

American Energy Corp - Century Mine

43521 Mayhugh Hill Rd Twp Hwy 88

Beallsville, OH 43716 Belmont

STATUS:

Original 0HL00091*GD

PERMIT NUMBER: STATION CODE:

013

MONITORING PERIOD: REPORTING LAB:

2010-08-01 To: 2010-08-31

DISTRICT: SEDO

ANALYST:

PARAMETER CODE UNITS	ganese, Total (Mn) 01055 ug/l / 2 Weeks Grab					
UNITS FREQUENCY SAMPLING TYPE 2010-08-01 2010-08-02 2010-08-03 2010-08-04 2010-08-05 2010-08-06 2010-08-07 2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14 2010-08-15 2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-19	ug/l / 2 Weeks					
FREQUENCY I SAMPLING TYPE 2010-08-01 2010-08-02 2010-08-03 2010-08-05 2010-08-06 2010-08-07 2010-08-08 2010-08-10 2010-08-11 2010-08-12 2010-08-15 2010-08-15 2010-08-17 2010-08-18 2010-08-19 2010-08-19 2010-08-19 2010-08-19 2010-08-19	/ 2 Weeks					
SAMPLING TYPE						
2010-08-02 2010-08-03 2010-08-04 2010-08-05 2010-08-06 2010-08-07 2010-08-08 2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-15 2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-19 2010-08-19						
2010-08-03 2010-08-04 2010-08-05 2010-08-06 2010-08-07 2010-08-08 2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14 2010-08-15 2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-19 2010-08-19						
2010-08-04 2010-08-05 2010-08-06 2010-08-07 2010-08-08 2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14 2010-08-15 2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-20						
2010-08-05 2010-08-06 2010-08-07 2010-08-08 2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14 2010-08-15 2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-20					ì	
2010-08-06 2010-08-07 2010-08-08 2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14 2010-08-15 2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-20					<u> </u>	
2010-08-07 2010-08-08 2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14 2010-08-15 2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-20	i					
2010-08-08 2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14 2010-08-15 2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-20						
2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14 2010-08-15 2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-20						
2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14 2010-08-15 2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-20						
2010-08-11 2010-08-12 2010-08-13 2010-08-14 2010-08-15 2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-20						
2010-08-12 2010-08-13 2010-08-14 2010-08-15 2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-20						
2010-08-13 2010-08-14 2010-08-15 2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-20					î – – – –	
2010-08-14 2010-08-15 2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-20					î	
2010-08-15 2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-20						
2010-08-16 2010-08-17 2010-08-18 2010-08-19 2010-08-20						
2010-08-17 2010-08-18 2010-08-19 2010-08-20						
2010-08-18 2010-08-19 2010-08-20						
2010-08-19						
2010-08-20						
2010-08-21						
2010-08-21						
2010-08-22						
2010-08-23						
2010-08-24						
2010-08-25						
2010-08-26						
2010-08-27						
2010-08-28						
2010-08-29						
2010-08-30						
2010-08-31						
Minimum Maximum					44	
Average						
Count						
with the	y under the penalty of law that I e information submitted herein a	and based on my inquir	v of those	Signature of Responsible Represen	Official or Authorized tative	Submission Date/Time
Cody Mozena individu submitu signific	uals immediately responsible for ed information is true, accurate ant penalties for submitting fals I imprisonment.	r obtaining the informa	tion, I believe the	Cdy M. Me		2010-09- 14 07:09

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

SUBMISSION ID: FACILITY:

LOCATION:

COUNTY: DISTRICT: 123954

American Energy Corp - Century Mine 43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716 Belmont

SEDO

STATUS:

Original

PERMIT NUMBER: STATION CODE:

MONITORING PERIOD: REPORTING LAB:

01L00091*GD

2010-08-01 To: 2010-08-31

ANALYST:

PARAMETER	Total Precipitation	Flow Rate	рН	Total Suspe Solids	non, rotar (re)	Manganese, Total (Mn)	Conductivity
PARAMETER CODE	00045	50050	00400	00530		01055	00094
UNITS	Inches	MGD	S.U.	mg/l	ug/l	ug/l	Umho/Cm
FREQUENCY SAMPLING TYPE	I/Day Total	I/Day	1/Week	1/Weel		1/Week	1/2 Weeks
2010-08-01	Total	Total Estimate	Grab_	Grab	Grab	Grab	Grab
2010-08-02							
2010-08-03							
2010-08-04							
2010-08-05							
2010-08-06							
2010-08-07							
2010-08-08							· · · · · · · · · · · · · · · · · · ·
2010-08-09							
2010-08-10							
2010-08-11							·
2010-08-12							
2010-08-13							
2010-08-14	<u> </u>						
2010-08-15							
2010-08-16							
2010-08-17							
2010-08-18							
2010-08-19							
2010-08-20							
2010-08-21							
2010-08-22							
2010-08-23							
2010-08-24				<u> </u>			
2010-08-25							
2010-08-26							
2010-08-27							
2010-08-28							
2010-08-29							
2010-08-30				<u></u>			
2010-08-31		and the second of the second	A	-2.0			
Minimum Maximum							
Average				<u> </u>			
Count				<u> </u>			
e of Responsible Official	h						
thorized Representative	I certify under the penalt with the information sub	y of law that I have per	rsonally examined and	am familiar	Signature of Responsible Represe		Submissi
Cody Mozena	individuals immediately submitted information is significant penalties for s fine and imprisonment.	responsible for obtaini true, accurate and com	ng the information, I builded. I am aware that	there are	Lody Mr. Ma		2010-09 14 07:0
	are imprisonnent.				Lady Mr. Me	Page 9	

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY:

LOCATION:

COUNTY: DISTRICT: 123954

American Energy Corp - Century Mine

43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716 Belmont

SEDO

STATUS:

Original

0IL00091*GD

STATION CODE: MONITORING PERIOD: REPORTING LAB:

PERMIT NUMBER:

014 2010-08-01 To: 2010-08-31

ANALYST:

PARAMETER	Residue, Total Dissolved		-				
ARAMETER CODE	00515		-}	-}			
UNITS	mg/l		<u> </u>				
FREQUENCY	1/2 Weeks						
SAMPLING TYPE	Grab						
2010-08-01							
2010-08-02							
2010-08-03							
2010-08-04							
2010-08-05							
2010-08-06							
2010-08-07							
2010-08-08							
2010-08-09							
2010-08-10							
2010-08-11							
2010-08-12							
2010-08-13							
2010-08-14						-	
2010-08-15							
2010-08-16							
2010-08-17							
2010-08-18							
2010-08-19							
2010-08-20							
2010-08-21		***		Î			
2010-08-22				1			
2010-08-23							
2010-08-24		- 					
2010-08-25			Î				
2010-08-26							
2010-08-27							
2010-08-28							
2010-08-29							
2010-08-30							
2010-08-31							
Minimum				Arrain (1711) - Amelitaich			
Maximum							
Average Count							
of Responsible Official		the state of the s		<u></u>		<u> </u>	
thorized Representative	with the information sul	omitted herein and has	ersonally examined and sed on my inquiry of tho	ا م	Signature of Responsible Repres	le Official or Authorized entative	Submiss Date/Ti
Cody Mozena	individuals immediately submitted information i	responsible for obtain strue, accurate and co	ning the information, I be implete. I am aware that mation, including the po	elieve the		Magness Page 10	2010-0 14 07:0

SUBMISSION ID:

COUNTY:

DISTRICT:

123954

FACILITY: LOCATION: American Energy Corp - Century Mine

43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716 Belmont

SEDO

STATUS:

ANALYST:

Original

PERMIT NUMBER: STATION CODE:

0IL00091*GD015

MONITORING PERIOD : REPORTING LAB:

2010-08-01 To: 2010-08-31

TraDet William Thompson

PARAMETER	Total Precipitation	Flow Rate	Conductivity	pH	Residue, Total Dissolved	Total Suspended Solids	Iron, Total (Fe
PARAMETER CODE	00045	50050	00094	00400	00515	00530	01045
UNITS FREQUENCY	Inches 1/Day	MGD	Umho/Cm	S.U.	mg/l	mg/l	ug/l
SAMPLING TYPE	Total	1/Day Total Estimate	1 / 2 Weeks Grab	1 / 2 Weeks Grab	1 / 2 Weeks Grab	1 / 2 Weeks Grab	1 / 2 Weeks Grab
2010-08-01	0.04	0.003	<u> </u>	<u> </u>	Grab	Grab	Ciao
2010-08-02	0	0.002	13500	8.32	9070	11	390
2010-08-03	0	0.0005					
2010-08-04	0.61	0.0005					
2010-08-05	0	0.001					
2010-08-06	0	0.001					
2010-08-07	0	0.002					
2010-08-08	0	0.001					
2010-08-09	0	0.001					
2010-08-10	0.01	0.001					
2010-08-11	0	0.001					
2010-08-12	0	100.0					
2010-08-13	0	0.001					
2010-08-14	0	AC					
2010-08-15	0	0.001					
2010-08-16	0	0.0007	12100	8.71	9988	AA 5.7	600
2010-08-17	0	0.0005					
2010-08-18	0	0.0004					
2010-08-19	0	0.0002					
2010-08-20	0	0.0002					
2010-08-21	0	0.0002					
2010-08-22	1.29	0.012					
2010-08-23	0	AC					
2010-08-24	0	AC					
2010-08-25	0	AC					
2010-08-26	0	AC					
2010-08-27	0	AC					
2010-08-28	0	AC					
2010-08-29	0	AC					
2010-08-30	0	AC					
2010-08-31	0	AC					
Minimum Maximum	0.0	2.0E-4	12100.0	8.32	9070.0	0.0	390.0
Average	0.0629	0.012	13500.0 12800	8.71	9988.0	11.0	600.0
Count	31	21	2	2	9529	5.5	495 2
ne of Responsible Official uthorized Representative Cody Mozena	I certify under the penal with the information sub individuals immediately submitted information is significant penalties for fine and imprisonment.	ty of law that I have pe omitted herein and base responsible for obtaini s true, accurate and com	rsonally examined and a d on my inquiry of those ng the information, I bel aplete. I am aware that the	m familiar Si	gnature of Responsible (Represent	Official or Authorized lative	Submiss Date/Ti 2010-0 14 07:0

SUBMISSION ID:

FACILITY:

LOCATION:

COUNTY:

DISTRICT:

123954

American Energy Corp - Century Mine 43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716

Belmont SEDO

STATUS:

Original

PERMIT NUMBER: STATION CODE:

MONITORING PERIOD: REPORTING LAB:

0IL00091*GD015

2010-08-01 To: 2010-08-31

TraDet

ANALYST: William Thompson NO DISCHARGE INDICATOR:

PARAMETER	Manganese, Total						· · · · · · · · · · · · · · · · · · ·
	(Mn)	<u> </u>	<u> </u>	<u> </u>			
PARAMETER CODE UNITS	01055	<u> </u>	<u> </u>				
FREQUENCY	ug/l 1 / 2 Weeks			 			
SAMPLING TYPE	Grab		1	 		**************************************	
2010-08-01							
2010-08-02	160						
2010-08-03		Ì		<u> </u>			
2010-08-04							
2010-08-05							
2010-08-06							
2010-08-07							
2010-08-08							
2010-08-09							
2010-08-10							
2010-08-11							
2010-08-12							-
2010-08-13							
2010-08-14							
2010-08-15							· <u> </u>
2010-08-16	480						
2010-08-17							·
2010-08-18							
2010-08-19							
2010-08-20							
2010-08-21	<u> </u>						
2010-08-22							
2010-08-23							
2010-08-24							
2010-08-25							
2010-08-26							
2010-08-27							
2010-08-28							
2010-08-29	[
2010-08-30							
2010-08-31							
Minimum	160.0						
Maximum Average	480.0 320						
Count	2						
ame of Responsible Official	Certify under the pena	alty of law that I have no	ersonally examined and	am familia.	Signature of Respo	nsible Official or Authorized	Submission
Authorized Representative Cody Mozena	with the information su individuals immediatel submitted information:	ibmitted herein and base y responsible for obtain is true, accurate and con r submitting false inform	ersonary examined and a edon my inquiry of thos ing the information, I be inplete. I am aware that t mation, including the pos	e lieve the	Re	Magnas Page 12	2010-09- 14 07:09

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY:

LOCATION:

COUNTY:

DISTRICT:

123954

American Energy Corp - Century Mine 43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716

Belmont SEDO

STATUS:

Original

01L00091*GD

STATION CODE: MONITORING PERIOD: REPORTING LAB:

016 2010-08-01 To: 2010-08-31

ANALYST:

PERMIT NUMBER:

PARAMETER	Total Precipitation	Flow Rate	Conductivity	pH	1	Residue, Total Dissolved	Total Suspended Solids	Iron, Total (Fe)
PARAMETER CODE	00045	50050	00094	004		00515	00530	01045
UNITS	Inches	MGD	Umho/Cm	S.L		mg/l	mg/l	ug/l
FREQUENCY SAMPLING TYPE	1/Day Total	1/Day Total Estimate	1 / 2 Weeks Grab	1/2 W		1 / 2 Weeks Grab	1 / 2 Weeks Grab	1 / 2 Weeks Grab
2010-08-01	10.00	Total Estimate	Giao	<u> </u>		Grab	Giae	Giab
2010-08-02			Ì	<u> </u>				
2010-08-03				 				
2010-08-04				<u> </u>				
2010-08-05				İ				
2010-08-06								<u> </u>
2010-08-07								
2010-08-08								
2010-08-09								
2010-08-10								
2010-08-11					Ì			
2010-08-12								<u> </u>
2010-08-13								
2010-08-14								
2010-08-15								
2010-08-16							ì	
2010-08-17								
2010-08-18								
2010-08-19][
2010-08-20								
2010-08-21								
2010-08-22								
2010-08-23								
2010-08-24								
2010-08-25				ļ				
2010-08-26		<u></u>						
2010-08-27								
2010-08-28								
2010-08-29								
2010-08-30								
2010-08-31		remarks amounts . when you do and			× 300 - 10 11 11 11 11			
Minimum								
Maximum Average				l				
Count					}			
ame of Responsible Official	I certify under the pena	Ity of law that I have o	ersonally examined and	am familiar	Sign	ature of Responsible	Official or Authorized	Submission
Authorized Representative Cody Mozena		bmitted herein and bas y responsible for obtain is true, accurate and co submitting false infon	ed on my inquiry of the ting the information, I be molete. I am aware that	elieve the		Represen	Page 13	2010-09- 14 07:09

Ohio $\mathbb{E} \mathbb{P} \mathbb{A}\,$ - Daily Discharge Monitoring Report - Form 4500

FACILITY:

LOCATION:

123954

SEDO

American Energy Corp - Century Mine 43521 Mayhugh Hill Rd Twp Hwy 88

Beallsville, OH 43716 Belmont

COUNTY: DISTRICT: STATUS:

Original 0IL00091*GD

PERMIT NUMBER:

STATION CODE: MONITORING PERIOD: REPORTING LAB:

016

2010-08-01 To: 2010-08-31

ANALYST:

PARAMETER CODE UNITS	anganese, Total (Mn) 01055 ug/l 1/2 Weeks Grab						
UNITS FREQUENCY SAMPLING TYPE 2010-08-01 2010-08-02 2010-08-03 2010-08-04 2010-08-05 2010-08-06 2010-08-07 2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14	ug/l 1 / 2 Weeks						
FREQUENCY SAMPLING TYPE 2010-08-01 2010-08-02 2010-08-03 2010-08-04 2010-08-05 2010-08-06 2010-08-07 2010-08-09 2010-08-11 2010-08-12 2010-08-13 2010-08-14	1/2 Weeks						
\$\frac{\text{SAMPLING TYPE}}{2010-08-01}\$ \text{2010-08-02}\$ \text{2010-08-03}\$ \text{2010-08-04}\$ \text{2010-08-05}\$ \text{2010-08-06}\$ \text{2010-08-07}\$ \text{2010-08-09}\$ \text{2010-08-10}\$ \text{2010-08-11}\$ \text{2010-08-12}\$ \text{2010-08-14}\$							
2010-08-02 2010-08-03 2010-08-04 2010-08-05 2010-08-06 2010-08-07 2010-08-08 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14							
2010-08-03 2010-08-04 2010-08-05 2010-08-06 2010-08-07 2010-08-08 2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14							
2010-08-04 2010-08-05 2010-08-06 2010-08-07 2010-08-08 2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14					(1
2010-08-05 2010-08-06 2010-08-07 2010-08-08 2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14			1	ł l		ĺ	
2010-08-06 2010-08-07 2010-08-08 2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14			Į.	ĺ			
2010-08-07 2010-08-08 2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14							
2010-08-08 2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14							
2010-08-09 2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14			Î				
2010-08-10 2010-08-11 2010-08-12 2010-08-13 2010-08-14			Î				
2010-08-11 2010-08-12 2010-08-13 2010-08-14							
2010-08-12 2010-08-13 2010-08-14							
2010-08-13 2010-08-14							
2010-08-14							
· · · · · · · · · · · · · · · · · · ·							
2010-08-15							
2010-08-16							
2010-08-17							
2010-08-18							
2010-08-19					i		
2010-08-20							
2010-08-21							
2010-08-22							
2010-08-23							
2010-08-24							
2010-08-25							
2010-08-26							
2010-08-27							
2010-08-28							
2010-08-29							
2010-08-30							
2010-08-31							
Minimum							
Maximum							
Average Count							
ame of Responsible Official							
Authorized Representative with t							
indivi Cody Mozena submi signif fine a	the information subn	mitted berein and base	ersonally examined and a	.	nature of Responsible (Official or Authorized	Submission Date/Time

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

LOCATION:

COUNTY:

DISTRICT:

123954

SEDO

FACILITY:

American Energy Corp - Century Mine 43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716 Belmont

STATUS:

Original

PERMIT NUMBER:

STATION CODE: MONITORING PERIOD: REPORTING LAB:

01L00091*GD 2010-08-01 To: 2010-08-31

TraDet

ANALYST: William Thompson

PARAMETER	Flow Rate	Color, Severity	Odor, Severity	Turbidity, Severity	Water Temperature	Dissolved Oxygen	рĦ
PARAMETER CODE	00056	00083	01330	01350	01000	00300	00400
UNITS	GPD	Units	Units	Units	С	mg/l	S.U.
FREQUENCY SAMPLING TYPE	1/Day	1/Day	1/Day	1/Day	I/Week	1 / 2 Weeks	1/2 Weeks
2010-08-01	Total Estimate AN	Estimate AN	Estimate AN	Estimate AN	Grab	Grab Grab	Grab
2010-08-02	1000	0	0	0			
2010-08-03	2000	0	0	0			
2010-08-04	2000	0	0	0			
2010-08-05	9000	0	0	0	26	8.3	7.7
2010-08-06	4000	0	0	0	20	8.3	1.1
2010-08-67	AN	AN	AN	AN			
2010-08-08	AN	AN	AN	AN			
2010-08-09	7000	0	0	0	26		
2010-08-10	2000	0	0	0	20		
2010-08-11	8000	0	0	0			
2010-08-12	1000	0	0	0			
2010-08-13	2000	0	0	0			
2010-08-14	AN	AN	AN	AN			
2010-08-15	AN	AN	AN	AN			
2010-08-16	9000	0	0	0			
2010-08-17	3000	0	0	0			
2010-08-18	9000	0	0	0	25	6.4	7.4
2010-08-19	9000	0	0	0			
2010-08-20	1000	0	0	0			
2010-08-21	AN	AN	AN	AN			
2010-08-22	AN	AN	AN	AN	Î		
2010-08-23	4000	0	0	0			
2010-08-24	1000	0	0	0			
2010-08-25	2000	0	0	0	25		
2010-08-26	6000	0	0	0			
2010-08-27	1000	0	0	0			
2010-08-28	AN	AN	AN	AN			
2010-08-29	AN	AN	AN	AN			
2010-08-30	5000	0	0	0			
2010-08-31	2000	0	0	0	25		
Minimum	1000.0	0.0	0.0	0.0	25.0	6.4	7.4
Maximum	9000.0	0.0	0.0	0.0	26.0	8.3	7.7
Average	4090.90909	0	0	0	25.4	7.35	
Count	22	22	22	22	5	2	2
Name of Responsible Official or Authorized Representative	with the information su individuals immediate	alty of law that I have pe ubmitted herein and base by responsible for obtain is true, accurate and cor	ed on my inquiry of thos ing the information, I be	e clieve the	nature of Responsible (Represent	Official or Authorized ative	Submission Date/Time
Cody Mozena	significant penalties fo fine and imprisonment	r submitting false inforn	nation, including the pos	ssibility of	Caly M. Mog	wal	2010-09- 14 07:09
		· · · · · · · · · · · · · · · · · · ·			/	Page 15	

SUBMISSION ID:

LOCATION:

123954

SEDO

FACILITY:

43521 Mayhugh Hill Rd Twp Hwy 88

Beallsville, OH 43716 Belmont

COUNTY: DISTRICT: American Energy Corp - Century Mine

PERMIT NUMBER: STATION CODE: MONITORING PERIOD: REPORTING LAB:

STATUS: Original

01L00091*GD

017 2010-08-01 To: 2010-08-31

TraDet William Thompson

ANALYST: NO DISCHARGE INDICATOR:

PARAMETER	Total Suspended Solids	Nitrogen, Ammonia (NH3)	Chlorine, Total Residual	CBOD 5 day	Fecal Coliform		
PARAMETER CODE	00530	00610	50060	80082	31616		
UNITS	mg/l	mg/l	mg/l	mg/l	#/100 ml		
FREQUENCY	1 / 2 Weeks	1 / 2 Weeks	1/2 Weeks	1/2 Weeks	1/Month		
SAMPLING TYPE	Grab	Grab	Grab	Grab	Grab		
2010-08-01							
2010-08-02							
2010-08-03							
2010-08-04							
2010-08-05	AA 5.7	0.12	0	AA 1.2			
2010-08-06							
2010-08-07							
2010-08-08							
2010-08-09							
2010-08-10							
2010-08-11				······································			
2010-08-12							
2010-08-13							= 4
2010-08-14							
2010-08-15				······································			
2010-08-16					AA 10		
2010-08-17							
2010-08-18	AA 5.7		0	4.83			
2010-08-19		0.08		,			
2010-08-20							
2010-08-21							····
2010-08-22							
2010-08-23							
2010-08-24							
2010-08-25					Ì		
2010-08-26						<u> </u>	
2010-08-27							
2010-08-28							
2010-08-29					Ì		
2010-08-30							
2010-08-31				· · · · · · · · · · · · · · · · · · ·			
Minimum	0.0	0.08	0.0	0.0	0.0		
Maximum	0.0	0.12	0.0	4.83	0.0		
Average	0	0.1	0	2.415	0		
Count	2	2	2	2	1		
Name of Responsible Official r Authorized Representative	I certify under the nens	alty of law that I have per		m familiar S	ignature of Responsible	Official or Authorized	Submission
	individuals immediatel submitted information	abmitted herein and based y responsible for obtaining is true, accurate and comp r submitting false informate	on my inquiry of those g the information, I bel plete. I am aware that the	ieve the	Represe	ntative	2010-09- 14 07:09
Cody Mozena	submitted information significant penalties for	is true, accurate and comp r submitting false informa	lete. I am aware that th	ere are	Code M. v	Moreno Page 16	

SUBMISSION ID:

123954

SEDO

FACILITY:

American Energy Corp - Century Mine 43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716

LOCATION: COUNTY: DISTRICT:

Belmont

STATUS:

Original

PERMIT NUMBER: STATION CODE:

MONITORING PERIOD: REPORTING LAB:

0IL00091*GD

2010-08-01 To: 2010-08-31

ANALYST: NO DISCHARGE INDICATOR: AL

PARAMETER	Sludge Solids,	Sludge Volume,					
PARAMETER CODE	Percent Total	Gallons	<u> </u>	<u> </u>			
UNITS	70318 %	80991 Gals		<u> </u>			
FREQUENCY	1/Month	1/Month	}				
SAMPLING TYPE	Grab	Total					
2010-08-01							
2010-08-02							
2010-08-03							
2010-08-04							
2010-08-05							
2010-08-06							
2010-08-07							
2010-08-08							
2010-08-09							
2010-08-10							
2010-08-11							 -
2010-08-12							
2010-08-13							
2010-08-14							
2010-08-15		- ::					
2010-08-16							
2010-08-17							
2010-08-18							
2010-08-19							
2010-08-20							
2010-08-21							
2010-08-22							
2010-08-23							
2010-08-24							
2010-08-25							
2010-08-26							
2010-08-27							
2010-08-28							
2010-08-29							
2010-08-30							
2010-08-31							
Minimum				Wild to the Control Ball on			,
Maximum Average							
Count					_		
me of Responsible Official	certify under the pena	Ity of law that I have ne	ersonally examined and	am familiar	Signature of Responsible	Official or Authorized	Submission
Cody Mozena	with the information sui ndividuals immediately submitted information i	bmitted herein and base responsible for obtain s true, accurate and con	ed on my inquiry of thosing the information, I be applete. I am aware that nation, including the po	elieve the	Represer	Magnot Page 17	2010-09- 14 07:09

SUBMISSION ID:

COUNTY: DISTRICT: 123954

FACILITY: American Energy Corp - Century Mine LOCATION:

43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716 Belmont

SEDO

STATUS:

Original

PERMIT NUMBER:

STATION CODE: MONITORING PERIOD: REPORTING LAB:

01L00091+GD

2010-08-01 To: 2010-08-31

ANALYST:

PARAMETER	Color, Severity	Odor, Severity	Turbidity, Severity	Flow Rate	Dissolved Oxygen	pH	Total Suspended Solids
PARAMETER CODE	00083	01330	01350	50050	00300	00400	00530
UNITS	Units	Units	Units	MGD	mg/l	S.U.	mg/l
FREQUENCY	1/Day	1/Day	1/Day	1/Day	1 / 2 Weeks	1 / 2 Weeks	1/2 Weeks
SAMPLING TYPE	Estimate	Estimate	Estimate	Estimate	Grab	Grab	Grab Grab
2010-08-01		L				ļ	
2010-08-02			<u> </u>				
2010-08-03			<u> </u>	<u></u>			
2010-08-04			<u> </u>	<u> </u>			
2010-08-05							
2010-08-06			<u> </u>				
2010-08-07			<u> </u>				
2010-08-08	<u></u>						
2010-08-09							
2010-08-10							
2010-08-11							
2010-08-12							
2010-08-13							
2010-08-14							
2010-08-15							
2010-08-16							
2010-08-17							
2010-08-18							
2010-08-19							
2010-08-20		-					
2010-08-21							
2010-08-22							
2010-08-23							
2010-08-24							
2010-08-25							
2010-08-26							
2010-08-27				· · · · · · · · · · · · · · · · · · ·			
2010-08-28							
2010-08-29							
2010-08-30							
2010-08-31							
Minimum		· · · · · · · · · · · · · · · · · · ·		and the second	3,000		*****
Maximum							
Average							
Count			<u></u>				
ame of Responsible Official Authorized Representative	I certify under the pena	ity of law that I have p	ersonally examined and	am familiar	Signature of Responsible (Official or Authorized	Submission
Cody Mozena	individuals immediately submitted information	y responsible for obtair is true, accurate and co submitting false infon	ed on my inquiry of thos ning the information, I be mplete. I am aware that t mation, including the pos	lieve the	Represent	Page 18	2010-09- 14 07:09

Ohio $\mathbb{EPA}\,$ - Daily Discharge Monitoring Report - Form 4500

COUNTY:

DISTRICT:

123954

FACILITY: American Energy Corp - Century Mine LOCATION:

43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716 Belmont

SEDO

STATUS:

Original

PERMIT NUMBER: STATION CODE: MONITORING PERIOD: 0IL00091*GD

REPORTING LAB:

2010-08-01 To: 2010-08-31

ANALYST:

PARAMETER	Nitrogen, Ammonia (NH3)	Chlorine, Total Residual	CBOD 5 day	Fecal Coliform			
PARAMETER CODE	00610	50060	80082	31616			<u> </u>
UNITS	mg/l	mg/l	mg/l	#/100 ml			
FREQUENCY	1 / 2 Weeks	1/2 Weeks	1/2 Weeks	1/Month			
SAMPLING TYPE	Grab	Grab	Grab	Grab			
2010-08-01			<u> </u>			<u> </u>	
2010-08-02							
2010-08-03							
2010-08-04							
2010-08-05							
2010-08-06							
2010-08-07							
2010-08-08							
2010-08-09							
2010-08-10							
2010-08-11							
2010-08-12							
2010-08-13							
2010-08-14					 	<u> </u>	
2010-08-15						 	
2010-08-16				Ì			
2010-08-17				<u> </u>			
2010-08-18							
2010-08-19							
2010-08-20							
2010-08-21							
2010-08-22							
2010-08-23						<u> </u>	
2010-08-24			-				
2010-08-25							
2010-08-26					1		
2010-08-27							
2010-08-28					 		
2010-08-29							
2010-08-30							
2010-08-31							···
Minimum					The second secon		
Maximum							
Average Count							
me of Responsible Official	1			<u></u>			
Authorized Representative	I certify under the penalty with the information sub-	nitted herein and base	d on my inquiry of thos		ignature of Responsible Represe	Official or Authorized	Submission Date/Time
Cody Mozena	individuals immediately individuals immediately in submitted information is significant penalties for so fine and imprisonment.	responsible for obtaini	ing the information, I be	elieve the	_Chy ill xillen		2010-09- 14 07:09

FACILITY: LOCATION: American Energy Corp - Century Mine 43521 Mayhugh Hill Rd Twp Hwy 88 Beallsville, OH 43716

PERMIT NUMBER:

01L00091*GD MONITORING PERIOD: 2010-08-01 To: 2010-08-31

PARAMETER COMMENTS:

Ĭ			V-11				
	Station Code	Parameter Name	Parameter Code	Date	Unit	Comment	